

PATENT COOPERATION TREATY

PCT

NOTIFICATION OF ELECTION

(PCT Rule 61.2)

From the INTERNATIONAL BUREAU

To:

Assistant Commissioner for Patents
United States Patent and Trademark
Office
Box PCT
Washington, D.C. 20231
ETATS-UNIS D'AMERIQUE

in its capacity as elected Office

Date of mailing (day/month/year) 21 March 2000 (21.03.00)	
International application No. PCT/IL99/00403	Applicant's or agent's file reference 6.063(PCT)
International filing date (day/month/year) 22 July 1999 (22.07.99)	Priority date (day/month/year) 27 July 1998 (27.07.98)
Applicant B. JEHUDA, Nir et al	

1. The designated Office is hereby notified of its election made:

☒ in the demand filed with the International Preliminary Examining Authority on:

23 February 2000 (23.02.00)

☐ in a notice effecting later election filed with the International Bureau on:2. The election ☒ was☐ was not

made before the expiration of 19 months from the priority date or, where Rule 32 applies, within the time limit under Rule 32.2(b).

The International Bureau of WIPO
34, chemin des Colombettes
1211 Geneva 20, Switzerland

Facsimile No.: (41-22) 740.14.35

Authorized officer

Christine Carrié

Telephone No.: (41-22) 338.83.38

PCT

INTERNATIONAL SEARCH REPORT

(PCT Article 18 and Rules 43 and 44)

Applicant's or agent's file reference 6.063(PCT)	FOR FURTHER ACTION see Notification of Transmittal of International Search Report (Form PCT/ISA/220) as well as, where applicable, item 5 below.	
International application No. PCT/IL 99/ 00403	International filing date (day/month/year) 22/07/1999	(Earliest) Priority Date (day/month/year) 27/07/1998
Applicant MAKHTESHIM CHEMICAL WORKS LTD. et al.		

This International Search Report has been prepared by this International Searching Authority and is transmitted to the applicant according to Article 18. A copy is being transmitted to the International Bureau.

This International Search Report consists of a total of 3 sheets.



It is also accompanied by a copy of each prior art document cited in this report.

1. Basis of the report

- a. With regard to the **language**, the international search was carried out on the basis of the international application in the language in which it was filed, unless otherwise indicated under this item.



the international search was carried out on the basis of a translation of the international application furnished to this Authority (Rule 23.1(b)).

- b. With regard to any **nucleotide and/or amino acid sequence** disclosed in the international application, the international search was carried out on the basis of the sequence listing :



contained in the international application in written form.



filed together with the international application in computer readable form.



furnished subsequently to this Authority in written form.



furnished subsequently to this Authority in computer readable form.



the statement that the subsequently furnished written sequence listing does not go beyond the disclosure in the international application as filed has been furnished.



the statement that the information recorded in computer readable form is identical to the written sequence listing has been furnished

2. ☐ **Certain claims were found unsearchable** (See Box I).

3. ☐ **Unity of invention is lacking** (see Box II).

4. With regard to the title,



the text is approved as submitted by the applicant.



the text has been established by this Authority to read as follows:

5. With regard to the abstract,



the text is approved as submitted by the applicant.



the text has been established, according to Rule 38.2(b), by this Authority as it appears in Box III. The applicant may, within one month from the date of mailing of this international search report, submit comments to this Authority.

6. The figure of the **drawings** to be published with the abstract is Figure No.



as suggested by the applicant.



because the applicant failed to suggest a figure.



because this figure better characterizes the invention.



None of the figures.

losses of potatoes during storage, for example, by decay caused by infection with microorganisms, fungi, algae, yeasts, molds and viruses.

It is yet another purpose of certain aspects of the present invention to provide a storage process for storage of plant matter and foodstuffs that prevents qualitative and quantitative losses during storage, by undesirable microbiological or biochemical processes of the foodstuff itself, including when such processes are effected and/or promoted by high humidity and high temperature storage conditions.

It is also an object of certain aspects of the present invention to provide processes and compositions that can be used to reduce and eliminate harmful organisms and substances from earth, equipment, materials, spaces and surfaces

Moreover, it is an important object of certain aspects of the present invention to achieve the above purposes in a simple way, that is safe to use, non-toxic, odorless, without hazardous residues and/or side effects, compatible with the environment and that does not leave any undesirable chemical residues in the materials or water, earth, other growth media and substrates, or on equipment, materials, water, spaces and surfaces exposed to the treatment by the process and compositions of the present invention, or endanger the health of operators implementing the process or handling the compositions or the foodstuffs treated by them. The process and compositions of the present invention are cost effective.

SUMMARY OF THE INVENTION

> *Percentages* - - - - -
In accordance with a preferred embodiment of the present invention, there is provided an environmentally compatible process for treating plant matter and foodstuffs, during storage, distribution and marketing, preplanting, growing, and pre

Intermittent treatment by means of the process and compositions of the present invention, protects foodstuff and plant matter so treated from adverse effects of condensation of water on the surfaces of the foodstuffs and plant matter, so treated.

The application of the solution in the form of ultra small drops by solution atomizing systems that produce "dry" fogs with particle sizes of less than and up to 10 microns in diameter, has been found to provide particularly beneficial results. These include compensation for or prevention of water loss, inhibition of sprouting, rot inhibition, less overall losses and higher yields for treated seeds. The beneficial results include epical dominance breakdown. The advantages of small particle size "dry" fogs is attributed to the fact that very small particles behave to a large extent like a gas. They facilitate the achievement of very high relative humidity, i.e., even as high as 99%+, without any condensation on the stored matter. Furthermore, the small particles show a very high penetrability into small cracks and spaces. As a consequence, even when potatoes are stored in ordinary stacks or storage sacks, the "dry" fog storage has a high degree of penetrability and accessibility to all points in the stack or sack. This means that even in the simplest and most space compact facilities, stored plant matter, such as potatoes and similar items, can be effectively treated to prevent weight loss due to dehydration as well as softening and other deteriorative processes brought about by an inadequate humidity environment.

Another benefit of the "dry" fog is that it allows higher concentrations of hydrogen peroxide and other active ingredients to be used without causing damage to the protective peel or surface of the plant matter so treated. The higher concentration of treating solutions enhances their effectiveness in the rapid elimination of pathogens. When the foodstuff and plant matter is treated by dipping or ordinary spraying, the optimal hydrogen peroxide concentration should be substantially between 0.5%-1.5% and treating time between a few seconds up to a few minutes. When the treatment is applied as a "dry" fog, the hydrogen peroxide concentration may be up to 40% and the time of application from several hours to a number of days.

CLAIMS:

1. An environmentally compatible process for treating plant matter and foodstuffs, during storage, distribution and marketing, preplanting, growing, and pre and post harvest, to increase yields, eliminate health hazards, impart storage stability, extend shelf life and inhibit premature sprouting, rooting, "black-heart" formation, germination, blossoming, decay, pathogenic losses and other processes causing losses in quality and/or quantity of said plant matter and foodstuffs, said plant matter and foodstuffs including tubers-such as potatoes, bulbs, seeds grains and other germinating matter or items, plant vegetative propagation matter or items, as well as various fruits and vegetables including solanaceous fruits and vegetables, by treating the said plant matter or foodstuffs, plant matter and foodstuffs, during storage, distribution and marketing, preplanting, growing, and pre and post harvest, with an effective aqueous dosage comprising an effective concentration of hydrogen peroxide and optionally comprising, an effective dosage of one or more additional components selected from the following types of substances:

- (i) effective trace concentrations of dispersed metals or metal ions;
- (ii) effective concentrations of other and/or additional hydrogen peroxide activators, synergists and promoters;
- (iii) effective concentrations of hydrogen peroxide stabilizers and modifiers;
- (iv) effective concentrations of pH regulators;
- (v) effective concentrations of organic and/or inorganic additives,

49. An environmentally compatible process for reducing and eliminating harmful organisms and substances from earth, equipment, materials, water, spaces and surfaces by treating the said earth, other growth media and substrates, equipment, materials, water, spaces and surfaces with an effective dosage of a composition comprising an effective concentration of hydrogen peroxide and optionally comprising, an effective dosage of one or more additional components selected from the following types of substances:

- (i) effective trace concentrations of dispersed metals or metal ions;
- (ii) effective concentrations of other and/or additional hydrogen peroxide activators, synergists and promoters;
- (iii) effective concentrations of hydrogen peroxide stabilizers and modifiers;
- (iv) effective concentrations of pH regulators;
- (v) effective concentrations of organic and/or inorganic additives.

50. Process as in claim 22 wherein the air to liquid volume ratio in the fog is between 300:1 and 1200:1.

51. Process as in claim 22 wherein the air to liquid volume ratio in the fog is between 500:1 and 700:1.

52. Process as in claim 28 wherein the air to liquid volume ratio in the fog is between 300:1 and 1200:1.

53. Process as in claim 28 wherein the air to liquid volume ratio in the fog is between 500:1 and 700:1.


PATENT COOPERATION TREATY

PCT

REC'D 12 DEC 2000

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Article 36 and Rule 70)

Applicant's or agent's file reference 6.063(PCT)		FOR FURTHER ACTION See Notification of Transmittal of International Preliminary Examination Report (Form PCT/IPEA/416)	
International application No. PCT/IL99/00403	International filing date (day/month/year) 22/07/1999	Priority date (day/month/year) 27/07/1998	
International Patent Classification (IPC) or national classification and IPC A23B7/157			
Applicant MAKHTESHIM CHEMICAL WORKS LTD. et al.			
<p>1. This international preliminary examination report has been prepared by this International Preliminary Examining Authority and is transmitted to the applicant according to Article 36.</p> <p>2. This REPORT consists of a total of 8 sheets, including this cover sheet.</p> <p><input checked="" type="checkbox"/> This report is also accompanied by ANNEXES, i.e. sheets of the description, claims and/or drawings which have been amended and are the basis for this report and/or sheets containing rectifications made before this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions under the PCT).</p> <p>These annexes consist of a total of 6 sheets.</p>			
<p>3. This report contains indications relating to the following items:</p> <ul style="list-style-type: none"> I <input checked="" type="checkbox"/> Basis of the report II <input type="checkbox"/> Priority III <input type="checkbox"/> Non-establishment of opinion with regard to novelty, inventive step and industrial applicability IV <input type="checkbox"/> Lack of unity of invention V <input checked="" type="checkbox"/> Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement VI <input type="checkbox"/> Certain documents cited VII <input checked="" type="checkbox"/> Certain defects in the international application VIII <input checked="" type="checkbox"/> Certain observations on the international application 			
Date of submission of the demand 23/02/2000		Date of completion of this report 08.12.2000	
Name and mailing address of the international preliminary examining authority:  European Patent Office D-80298 Munich Tel. +49 89 2399 - 0 Tx: 523656 epmu d Fax: +49 89 2399 - 4465		Authorized officer Georgopoulos, N Telephone No. +49 89 2399 2634	

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No. PCT/IL99/00403

I. Basis of the report

1. This report has been drawn on the basis of (*substitute sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are not annexed to the report since they do not contain amendments.*):

Description, pages:

1-12, 14-19, as originally filed
21-27

13, 20 as received on 17/11/2000 with letter of 15/11/2000

Claims, No.:

1 (*part*), 2-48 as originally filed
1 (*part*), 49-56 as received on

17/11/2000 with letter of 15/11/2000

2. The amendments have resulted in the cancellation of:

- ☐ the description, pages:
☐ the claims, Nos.:
☐ the drawings, sheets:

3. ☒ This report has been established as if (some of) the amendments had not been made, since they have been considered to go beyond the disclosure as filed (Rule 70.2(c)):

see separate sheet

4. Additional observations, if necessary:

V. Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

1. Statement

Novelty (N)	Yes:	Claims	1-42, 47-48, 50-53
	No:	Claims	43-46, 49
Inventive step (IS)	Yes:	Claims	47, 48
	No:	Claims	1-46, 49-53
Industrial applicability (IA)	Yes:	Claims	1-53
	No:	Claims	

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No. PCT/IL99/00403

5. ☒ This report has been established as if (some of) the amendments had not been made, since they have been considered to go beyond the disclosure as filed (Rule 70.2(c)):

(Any replacement sheet containing such amendments must be referred to under item 1 and annexed to this report.)

see separate sheet

6. Additional observations, if necessary:

V. Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

1. Statement

Novelty (N)	Yes:	Claims	1-42, 47-48, 50-53
	No:	Claims	43-46, 49
Inventive step (IS)	Yes:	Claims	47, 48
	No:	Claims	1-46, 49-53
Industrial applicability (IA)	Yes:	Claims	1-53
	No:	Claims	

2. Citations and explanations
see separate sheet

VII. Certain defects in the international application

The following defects in the form or contents of the international application have been noted:
see separate sheet

VIII. Certain observations on the international application

The following observations on the clarity of the claims, description, and drawings or on the question whether the claims are fully supported by the description, are made:
see separate sheet

**INTERNATIONAL PRELIMINARY
EXAMINATION REPORT - SEPARATE SHEET**

International application No. PCT/IL99/00403

Item I

- 1 The amendment filed with the letter dated 15.11.00 does not fulfil the requirements of Art.34 (2) (b) PCT.
- 1.1 The newly introduced sentence "Percentages throughout the specification indicate weight by weight percentages", on page 13, fourth textline from the bottom, introduces subject-matter which extends beyond the content of the international application as filed. In the description and the claims as originally filed there is namely no teaching that would serve as basis therefor.
- 1.3 Consequently, all citations and explanations mentioned under Item V, are based on the application documents as originally filed.

Item V

- 2 Reference is made to the following documents:
D1: US-A-5 535 667
D2: US-A-5 658 595
D3: US-A-4 915 955
D4: US-A-5 085 880
D5: FR-A-2 728 143
D6: US-A-3 506 458
- 3 The present invention does not fulfil the requirements of Art.33 (2) PCT because the subject-matter of independent claims 43 (plant matter and foodstuffs), 44 (process), 45 (process), 46 (potatoes, potato tubers and other plant growth material) and 49 (process) is not new.
- 3.1 Claim 43
The subject-matter of said claim is anticipated by the technical teaching of any of the following documents:
i/ D1 (see examples 1 to 7 of D1);
ii/ D2 (see column 1, lines 8 to 11 and from column 1, line 59 to column 2, line 2 of D2);

**INTERNATIONAL PRELIMINARY
EXAMINATION REPORT - SEPARATE SHEET**

International application No. PCT/IL99/00403

- iii/ D3 (see column 4, lines 46 to 57 and claim 1 of D3);
- iv/ D4 (see claim 1 of D4);
- v/ D5 (see claims 1 and 10 of D5); or
- vi/ D6 (see column 2, lines 40 to 51 and examples 1, 2 and 5 of D6).

Claims 44 and 45

The subject-matter of the above-mentioned claims is anticipated by the technical teaching of any of the following documents:

- i/ D4 (see claim 1 of D4);
- ii/ D5 (see claims 1 and 10 of D5); or
- iii/ D6 (see column 2, lines 40 to 51 and examples 1, 2 and 5 of D6).

Claim 46

The subject-matter of said claim is anticipated by the technical teaching of any of the following documents:

- i/ D1 (see examples 5 and 6 of D1);
- ii/ D4 (see claim 1 of D4);
- iii/ D5 (see claim 1 and 10 of D5); or
- iv/ D6 (see column 2, lines 40 to 51, claims 1 to 5 and examples 1, 2 and 5 of D6).

Claim 49

The subject-matter of this claim is anticipated by the technical teaching of any of the following documents:

- i/ D2 (see claim 7 of D2);
- ii/ D3 (see column 4, lines 46 to 59 and claim 1 of D3);
- iii/ D4 (see claim 1 of D4); or
- iv/ D5 (see claim 10 of D5).

- 4 In contrast thereto, the subject-matter of independent claims 1 (process), 47 (composition) and 48 (composition) is new.

4.1 Claim 1

The subject-matter of said claim is not anticipated by the technical teaching of any of the claim D1-D6. None of these documents disclose a treatment of plant matter or foodstuffs during distribution, marketing, preplanting, growing, pre and post harvest

**INTERNATIONAL PRELIMINARY
EXAMINATION REPORT - SEPARATE SHEET**

International application No. PCT/IL99/00403

with an effective aqueous dosage of H_2O_2 as claimed in present claim 1 (see column 8, lines 24 to 30 of D1, claim 7 of D2, claim 1 of D3, claim 1 of D4, claim 10 of D5 and column 2, lines 40 to 51 of D6).

Claim 47

The subject-matter of said claim is not anticipated by the technical teaching of any of the claim D1-D6. None of D1, D2, D4 or D6 mentions a metal ion concentration as in present claim 47 (see column 8, lines 24 to 30 of D1, claims 4 and 5 of D2, claim 1 of D4 as well as column 2, lines 40 to 51, examples 1, 2 and 5 and claims 1 to 5 of D6). None of D3 or D5 brings to light either a metal ion concentration or a novelty-destroying concentration of H_2O_2 to that of present claim 47 (see claims 1 and 3 of D3 and claims 1 to 7 of D5).

Claim 48

The subject-matter of said claim is not anticipated by the technical teaching of any of the claim D1-D6. None of D1-D6 mentions a metal ion concentration as in present claim 48.

- 5 The subject-matter of independent claims 47 and 48 (composition) involves an inventive step (Art.33 (3) PCT), but the subject-matter of independent claim 1 (process) does not.
- 5.1 D2 is considered to be the closest prior art document. According to the present application the problem to be solved may, therefore, be regarded as how to provide a composition for treating plant matter and foodstuffs, wherein said composition:
- i/ eliminates sprouting for extended periods;
 - ii/ gives higher yields in unit per area; and
 - iii/ higher yield of marketable sizes (see pages 24 to 26, examples 18 to 20 of the present description as well as column 3, lines 8 to 10 and 39 to 42, column 4, lines 55 to 57, column 5, lines 6 to 8 and column 6, lines 64 to 68 of D2). Said advantages are brought about by the synergistic effect of the components (a) and (b) in present claim 47 and (a) to (c) in present claim 48. The component (b) has not been disclosed either in D3 or in any of the documents cited in the International Search Report (see point 4.1 above). Therefore, the person skilled in the art would not be prompted to use the technical teaching of D2, modify it using the technical teaching

**INTERNATIONAL PRELIMINARY
EXAMINATION REPORT - SEPARATE SHEET**

International application No. PCT/IL99/00403

of any of the documents D1 or D3-D6 and arrive at the claimed composition. Consequently, the subject-matter of independent claims 47 and 48 (composition) would not be obvious to the person skilled in the art having regard to the available prior art.

5.2 The above-mentioned synergistic effect has not been achieved by the subject-matter of present claim 1, as only an "effective concentration of hydrogen peroxide" is therein mentioned. Ingredients falling under the above-mentioned categories (b) and (c) are entirely optional. Thus, said advantages (see point 5.1 above) seem to be, as far as the subject-matter of claim 1 is concerned, of speculative nature.

6 The subject-matter of claims 1-53 is susceptible of industrial application in the field of the food industry (Art.33 (4) PCT).

Item VII

7 Contrary to the requirements of Rule 5.1 (a) (ii) PCT, the relevant background art disclosed in the documents D1-D6 is not mentioned in the description, nor are these documents identified therein.

8 The following "obvious errors" (Rule 91 (1) (b) PCT) have not been corrected:

8.1 The units "PPM" and "PPB" throughout the description and the claims do not read "ppm" and "ppb", respectively.

8.2 The word "micron" in present claim 42 does not read "microns".

8.3 The letter "(c)" in present claim 47 should read "(b)".

Item VIII

9 The vague and imprecise statement "While certain embodiments ... or spirit ..., spirit and general scope" in the description on page 27 implies that the subject-matter for which protection is sought may be different to that defined by the claims, thereby resulting in lack of clarity (Article 6 PCT) when used to interpret them (see also the

**INTERNATIONAL PRELIMINARY
EXAMINATION REPORT - SEPARATE SHEET**

International application No. PCT/IL99/00403

PCT Guidelines, III, 4.3a).

10 The following features are not mentioned in the description:

i/ ranges of claims 7 and 8;

ii/ the terms "silver ion" and "copper ion" (see claims 9 and 10, respectively);

iii/ the expression "a mixture of silver and copper ion" (see claim 11); and

iv/ the ranges in claims 18-21, 24-27, 29 and 31-42.

Therefore, present claims 7-11, 18-21, 24-27, 29 and 31-42 are not fully supported by the description as required by Article 6 PCT.

losses of potatoes during storage, for example, by decay caused by infection with microorganisms, fungi, algae, yeasts, molds and viruses.

It is yet another purpose of certain aspects of the present invention to provide storage process for storage of plant matter and foodstuffs that prevents qualitative and quantitative losses during storage, by undesirable microbiological or biochemical processes of the foodstuff itself, including when such processes are effected and/or promoted by high humidity and high temperature storage conditions.

It is also an object of certain aspects of the present invention to provide processes and compositions that can be used to reduce and eliminate harmful organisms and substances from earth, equipment, materials, spaces and surfaces

Moreover, it is an important object of certain aspects of the present invention to achieve the above purposes in a simple way, that is safe to use, non-toxic, odorless, without hazardous residues and/or side effects, compatible with the environment and that does not leave any undesirable chemical residues in the materials or water, earth, other growth media and substrates, or on equipment, materials, water, spaces and surfaces exposed to the treatment by the process and compositions of the present invention, or endanger the health of operators implementing the process or handling the compositions or the foodstuffs treated by them. The process and compositions of the present invention are cost effective.

SUMMARY OF THE INVENTION

Percentages throughout the specification indicate weight by weight percentages.

In accordance with a preferred embodiment of the present invention, there is provided an environmentally compatible process for treating plant matter and foodstuffs, during storage, distribution and marketing, preplanting, growing, and pre

Intermittent treatment by means of the process and compositions of the present invention, protects foodstuff and plant matter so treated from adverse effects of condensation of water on the surfaces of the foodstuffs and plant matter, so treated.

The application of the solution in the form of ultra small drops by solution atomizing systems that produce "dry" fogs with particle sizes of less than and up to 1000 microns in diameter, has been found to provide particularly beneficial results. These include compensation for or prevention of water loss, inhibition of sprouting, rot inhibition, less overall losses and higher yields for treated seeds. The beneficial "dry" fog is attributed to the fact that very small particles behave to a large extent like a gas. They facilitate the achievement of very high relative humidity, i.e., even as high as 99%+, without any condensation on the stored matter. Furthermore, the small particles show a very high penetrability into small cracks and spaces. As a consequence, even when potatoes are stored in ordinary stacks or sacks, the "dry" fog storage has a high degree of penetrability and accessibility to all points in the stack or sack. This means that even in the simplest and most space compact facilities, stored plant matter, such as potatoes and similar items, can be effectively treated to prevent weight loss due to dehydration as well as softening and other deteriorative processes brought about by an inadequate humidity environment.

Another benefit of the "dry" fog is that it allows higher concentrations of hydrogen peroxide and other active ingredients to be used without causing damage to the protective peel or surface of the plant matter so treated. The higher concentration of treating solutions enhances their effectiveness in the rapid elimination of pathogens. When the foodstuff and plant matter is treated by dipping or ordinary spraying, the optimal hydrogen peroxide concentration should be substantially between 0.5%-1.5% and treating time between a few seconds up to a few minutes. When the treatment is applied as a "dry" fog, the hydrogen peroxide concentration may be up to 40% and the time of application from several hours to a number of days.

CLAIMS:

1. An environmentally compatible process for treating plant matter and foodstuffs, during storage, distribution and marketing, preplanting, growing, and pre and post harvest, to increase yields and yields of marketable sizes, eliminate health hazards, impart storage stability, extend shelf life and inhibit premature sprouting, rooting, "black-heart" formation, germination, blossoming, and losses in quality and/or quantity of said plant matter and foodstuffs as result of premature sprouting, rooting, "black-heart" formation, germination and blossoming, said plant matter and foodstuffs including tubers – such as potatoes, bulbs, seeds grains and other germinating matter or items, plant vegetative propagation matter or items, as well as various fruits and vegetables including solanaceous fruits and vegetables, by treating the said plant matter or foodstuffs, plant matter and foodstuffs, during storage, distribution and marketing, preplanting, growing, and pre and post harvest, with an effective aqueous dosage comprising an effective concentration of hydrogen peroxide and optionally comprising, an effective dosage of one or more additional components selected from the following types of substances:

- (i) effective trace concentrations of dispersed metals or metal ions;
- (ii) effective concentrations of other and/or additional hydrogen peroxide activators, synergists and promoters;
- (iii) effective concentrations of hydrogen peroxide stabilizers and modifiers;
- (iv) effective concentrations of pH regulators;
- (v) effective concentrations of organic and/or inorganic additives,

49. An environmentally compatible process for reducing and eliminating harmful organisms and substances from earth and other growth media and substrates, by treating the said earth, other growth media and substrates, with an effective dosage of a composition comprising an effective concentration of hydrogen peroxide and optionally comprising, an effective dosage of one or more additional components selected from the following types of substances:

- (i) effective trace concentrations of dispersed metals or metal ions;
- (ii) effective concentrations of other and/or additional hydrogen peroxide activators, synergists and promoters;
- (iii) effective concentrations of hydrogen peroxide stabilizers and modifiers;
- (iv) effective concentrations of pH regulators;
- (v) effective concentrations of organic and/or inorganic additives.

50. Process as in claim 22 wherein the air to liquid volume ration in the fog is between 300:1 and 1200:1.

51. Process as in claim 22 wherein the air to liquid volume ration in the fog is between 500:1 and 700:1.

52. Process as in claim 22 wherein the air to liquid volume ration in the fog is between 300:1 and 1200:1.

53. Process as in claim 28 wherein the air to liquid volume ration in the fog is between 500:1 and 700:1.

54. An environmentally compatible process for treating plant matter and foodstuffs, during storage, distribution and marketing, preplanting, growing, and pre and post harvest, to increase yields and yields of marketable sizes, eliminate health hazards, impart storage stability, extend shelf life and inhibit pathogenic losses and other processes causing losses in quality and/or quantity of said plant matter and foodstuffs, said plant matter and foodstuffs including tubers - such as potatoes, bulbs, seeds grains and other germinating matter or items, plant vegetative propagation matter or items, as well as various fruits and vegetables including solanaceous fruits and vegetables, by treating the said plant matter or foodstuffs, plant matter and foodstuffs, during storage, distribution and marketing, preplanting, growing, and pre and post harvest, with a synergistic effective aqueous dosage comprising an effective concentration of hydrogen peroxide and silver ion and optionally comprising, an effective dosage of one or more additional components selected from the following types of substances:

- (i) effective trace concentrations of dispersed metals or metal ions;
- (ii) effective concentrations of other and/or additional hydrogen peroxide activators, synergists and promoters;
- (iii) effective concentrations of hydrogen peroxide stabilizers and modifiers;
- (iv) effective concentrations of pH regulators;

- (v) effective concentrations of organic and/or inorganic additives, wherein the effective concentration of hydrogen peroxide, time of treatment and form of application are such as to prevent such plant matter and foodstuffs quality and/or quantity loss, but at the same time not so high as to cause or induce damage to the plant matter and foodstuffs themselves.

55. Plant-matter and foodstuffs when treated substantially as hereinbefore in claim 54.

56. An environmentally compatible process for reducing and eliminating harmful organisms and substances from equipment, materials, water, spaces and surfaces by treating said equipment, materials, water, spaces and surfaces with an effective dosage of a synergistic composition comprising an effective concentration of hydrogen peroxide, silver ion and an effective trace concentrations of dispersed metals or metal ions and optionally comprising an effective dosage of one or more additional components selected from the following types of substances:

- (i) effective concentrations of other and/or additional hydrogen peroxide activators, synergists and promoters;
- (ii) effective concentrations of hydrogen peroxide stabilizers and modifiers;
- (iii) effective concentrations of pH regulators;
- (iv) effective concentrations of organic and/or inorganic additives.

Q2
PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁷ : A23B 7/157, 9/30, A61L 2/18, A01N 59/00		A1	(11) International Publication Number: WO 00/05969
			(43) International Publication Date: 10 February 2000 (10.02.00)
(21) International Application Number: PCT/IL99/00403 (22) International Filing Date: 22 July 1999 (22.07.99) (30) Priority Data: 125520 27 July 1998 (27.07.98) IL (71) Applicants (for all designated States except US): MAKHT-ESHIM CHEMICAL WORKS LTD. [IL/IL]; P.O. Box 60, 84100 Beer Sheva (IL). TEFF, Jennifer [IL/IL]; Moav Street 6/12, 89031 Arad (IL). (72) Inventors; and (75) Inventors/Applicants (for US only): B. JEHUDA, Nir [IL/IL]; Maale Avshalom Street 17, 36094 Kiryat Tivon (IL). MARGALIT, Eliahu [IL/IL]; Kibbutz Bror-Chail, 79152 D.N. Hof Ashqelon (IL). (74) Common Representative: TEFF, Jennifer; Makhteshim Chemical Works Ltd., P.O. Box 60, 84100 Beer Sheva (IL).			(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). Published <i>With international search report. Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i>
(54) Title: ENVIRONMENTALLY COMPATIBLE PROCESSES COMPOSITIONS AND MATERIALS TREATED THEREBY			
(57) Abstract <p>The present invention relates to environmentally friendly processes and compositions for prevention of qualitative deterioration and quantitative loss of plant matter and foodstuffs, during all stages of storage and handling, including pre- and post-harvest, pre- and post-planting, distribution and marketing. The processes and compositions of the present invention can also be used to prevent sprouting and rooting, and to promote fecundity of certain plant matter. The processes and compositions of the present invention can also be used to eliminate or reduce quantities of harmful organisms and substances from soil, other growth media and substrates, equipment, materials, water, workspaces and surfaces.</p>			

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece			TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	NZ	New Zealand		
CM	Cameroon			PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

ENVIRONMENTALLY COMPATIBLE PROCESSES COMPOSITIONS AND MATERIALS TREATED THEREBY

FIELD OF THE INVENTION

The present invention concerns environmentally friendly processes and compositions for preventing qualitative deterioration and quantitative loss of plant matter and foodstuffs, during all stages of storage and handling, including pre and post harvest, pre and post planting, distribution and marketing, as well as for preventing sprouting, rooting and promoting fecundity of certain plant matter. The processes and compositions of the present invention can also be used to reduce and eliminate harmful organisms and substances from earth, other growth media and substrates, equipment, materials, water, spaces and surfaces.

BACKGROUND OF THE INVENTION

The present invention involves processes and compositions utilizing primarily aqueous hydrogen peroxide for preventing qualitative and quantitative loss of foodstuffs and plant matter during storage and/or handling of such foodstuffs and plant matter. The present invention also involves a process for effecting Epical Dominance Breakdown in certain plant propagation material and as a consequence achieving a number of notable benefits, including storage stability of the plant propagation material itself and higher product yields, when such material is planted. The processes and compositions of the present invention can also be used to reduce and eliminate harmful organisms and substances from earth, other growth media and substrates, equipment, materials, water, spaces and surfaces.

Hydrogen peroxide itself is an environmentally friendly material because its decomposition products are water and oxygen. Its use in the present invention in optional combination with other components, is limited to such compositions and processes that are environmentally friendly, either because the other components are in themselves environmentally friendly or they are used in quantities that do not constitute a danger to individuals or to the environment.

Deteriorative losses of foodstuffs and plant matter during growing, storage and handling is a high priority global problem of considerable social, economic and political importance. Quantitative and qualitative losses during all stages of foodstuff and plant matter growing, storage and handling, impacts first and foremost on the possibility to sustain a reasonable nutritional level and life quality for the earth's inhabitants. Consequently, processes and compositions that can contribute significantly to quantitative and qualitative loss prevention, are of paramount importance. The present invention concerns effective processes and compositions for such purposes. What is more, the present invention concerns environmentally friendly and energy conserving processes and compositions for such ends.

The process and compositions of the invention inhibits plant matter, such as potatoes, seeds and foodstuffs from sprouting, rooting and pathogenic attack and decay, so that such material can be stored under conditions of high relative humidity (70-99+%), optimized to prevent weight loss by dehydration, during storage, for even extended periods of time. The process and compositions of the invention also allow storage under conditions of relatively high temperatures, i.e., low degree of refrigeration, in combination with high relative humidity. This facilitates significant energy savings relative to lower temperature refrigeration, usually required for foodstuff and plant matter storage, particularly under conditions of high relative humidity.

These factors are of prime importance in the post harvest period. But they are also significant in all stages of foodstuff and plant matter growing, storage and handling.

In the event of extended storage period, it can be advantageous to treat the stored plant matter or foodstuff every few weeks with the inhibiting solution and according to the process of the invention. In addition, in the interim period between such treatments, the stored plant matter or foodstuff can be maintained in an aseptic environment by providing a lower level dosage on a more frequent or regular basis,

by solutions and treatments that provide the aseptic environment in conjunction with the additional humidity. The process of the invention is readily adaptable to be implemented during transit of the treated matter. This is of considerable significance, since agricultural products, particularly food products, are produced by and large, only during limited seasons of the year. In order for such food products to be available for human and animal consumption during all or at least extended seasons of the year, they must be stored under conditions that minimize losses by dehydration, pathogenic decay, sprouting, rooting and the like, while maintaining organoleptic qualities and preventing other processes that adversely affect their quality.

It is also of the utmost importance that methods and materials employed in extending the effective storage lifetime of perishable foodstuffs and plant matter, should not be detrimental to the consumers' personal health and welfare, nor cause any harm to the environment. While one specific application of the present invention so far, has been to extend the effective storage quality and lifetime of potatoes, it is self evident that the same or similar processes and materials can be used to extend the effective storage quality and lifetime, increase crop yields and specifically increase crop yields on a commercial scale, of plant material and foodstuffs in general. This applies not only to similar vegetable food crops, such as, sweet potatoes, carrots, onions, radishes, garlic, etc., but the process and compositions of the invention can be used to good advantage to extend the storage quality and lifetime of potato seeds, sweet potato propagation material, as well as bulbs, including flower bulbs and tubers. The present invention can also be suited to inhibit sprouting in seeds and grains. Furthermore, the process of the invention imparts extended shelf life stability, to all sorts of foodstuffs and plant material, including fruits and vegetables, so treated.

A reference that deals at length with the specific topic of potatoes as an example, and some of its related problems is; Smith, O., POTATOES: Production, Storing, Processing, The Avi Publishing Co., Inc., Westport, Connecticut.

The current total global yield of potatoes is estimated to be in the vicinity of 300 million tons per annum. It is both a basic food staple, because of its inherent nutritional value, being rich in carbohydrates and other nutrients and at the same time is frequently prepared for quick snacks as French fries or chips. It is even used in gourmet dishes, wherein product quality, taste and texture are more critical. Since the conditions under which potatoes grow, prevail only in certain seasons of the year in the various regions of the globe in which they are grown, the issue of preventing qualitative and quantitative losses during storage or during inter regional trade, is vital to those involved with potato growing, storage, trade and consumption. Dehydration during storage is one of the major reasons for weight loss in absolute quantitative terms. At the same time, it contributes to qualitative deterioration in the potatoes themselves. The amount of weight lost by dehydration, during storage is determined by the characteristics of the specific potato varieties involved and by the storage regime. An environment with high relative humidity, prevents water loss by evaporation from stored potatoes. Whereas an environment with low relative humidity can take up a substantial amount of moisture from stored potatoes. Water loss by dehydration of stored potatoes is weight loss of the stored product and consequently a direct economic loss.

Moreover, water losses from stored potatoes can adversely affect their quality in other ways. Tubers that have lost significant quantities of water by dehydration, are softer than tubers that have been stored under conditions that reduce or prevent such water losses. They are also more subject to bruising and consequently more vulnerable to pathogenic attack and decay.

To prevent weight loss due to dehydration, potatoes are normally stored under conditions of high relative humidity. Such conditions, unless certain counter measures are invoked, are known to promote sprouting and rooting of the stored potatoes, undesirable processes that contribute to the deterioration in potato quality and sometimes even total loss of the potatoes. In addition, high humidity

environment frequently favors the growth of pathogens that both contribute to and promote qualitative and quantitative losses.

The materials in use up to now to prevent such undesirable consequences of storage include, isopropylphenylcarbamate (IPC), chloro isopropylphenylcarbamate (CIPC) (see for example, Hajslova, J., and Davidek, J., 1986, Sprout inhibitors IPC and CIPC in treated potatoes, *Nahrung Food*, 30, 75-79), maleic hydrazide (see for example, Yada, R.Y., Coffin, R.H., Keenan, M.K., Fitts, M., Duffault, C. and Tai G.C.C., 1991, Effect of maleic hydrazide on potato yield, sugar content and chip color etc., *Amer. Potato J.*, 68, 705-709), 1,2-dihydro-3,6-pyridazinedione and 2,3,5,6-tetrachloronitrobenzene (TCNB).

Use of CIPC is the most widespread practical method today of keeping potatoes sprout free during storage. However, the use of this sprout inhibitor creates a number of problems. These include, suppression of suberization and periderm formation, requiring as a consequence special additional treatment after the curing process. Moreover, CIPC leaves toxic residues on the tubers to which it is applied. The ambient storage temperature required to inhibit sprouting during potato storage is 2-4°C. Maintaining this relatively low temperature requires significant energy expenditure and cost. There is also a tendency for starches to be converted to sugars at temperatures below 9°C and thereby degrade the taste characteristics of the potatoes, particularly potatoes intended for industry. Such potatoes suffer therefore from lower consumer acceptability, while for some industrial application, such potatoes are totally unacceptable. Moreover, CIPC has to be volatilized at relatively high temperatures (170°-180°C) before introduction into the storage chamber, thereby effecting an undesirable burden on the refrigeration system and an extra expenditure of energy.

For potatoes harvested during the normal potato harvest season, two options are available to prevent sprouting and rooting. One involves maintaining storage temperatures between 2-4°C. The other allows storage at higher temperatures, but

requires treatment with CIPC and other chemicals that inhibit sprouting. In the case of late harvest potatoes, storage at temperatures even as low as 2-4°C, does not provide assurance of effective sprouting inhibition. In such cases, even supplemental treatment with CIPC, does not assure effective sprouting inhibition. On the other hand, the process of the present invention, does provide effective sprouting and rooting inhibition over a wide temperature range.

While the usual storage temperatures employed with CIPC treatment are within the range 7-8°C, the process of the invention has been found to impart effective sprouting and rooting inhibition over a wide range of temperatures. This includes the current relevant range of storage from 2-10°C. It also includes a wide range of ambient temperatures. It should be emphasized once more, that the possibility of allowing higher storage temperature, provides a way of achieving substantial energy savings with economic, qualitative, quantitative and ecological benefits. Furthermore, certain embodiments of the present invention facilitate adjustment of the carbon dioxide-oxygen gas balance in the storage rooms, thus preventing "black-heart" deterioration in the stored potatoes. CIPC and similar based treatment processes do not inherently involve such gas balance adjustments.

It should be pointed out that CIPC is not effective at temperatures of 5°C and below. In various circumstances, such as late harvest, sprouting can occur at such temperatures. However, the process and compositions of the present invention, is effective in inhibiting sprouting, even at temperatures of 5°C and below. Experiments have shown that the interval between successive treatments for effective control by the process and compositions of the present invention, can be prolonged to as long as two to six months, under these conditions.

The wide temperature range that is suitable for storing plant matter and foodstuffs treated by the process and compositions of the present invention, also provides greater flexibility to accommodate a relatively wide variety of different conditions encountered in various facilities and environments. The process of the invention can

also be implemented while the plant matter or foodstuff is being transported, thus providing a means for inhibiting deteriorative processes in transit, but also conserving time.

CIPC has a number of additional deficiencies that the process of the present invention overcomes. CIPC is systemic to tubers, fruits and food stuffs treated with it. That is to say it penetrates into the bulk of such tubers, fruits and food stuffs. As a consequence, this results in a number of limitations, that include;

- (1) regulations that prohibit use of CIPC, to treat certain food materials;
- (2) potatoes and similar foodstuffs that been treated with CIPC must undergo a waiting period of at least a month or two before they are marketed, in order to allow the CIPC to decompose;
- (3) a storage room or bin in which CIPC treatment took place, is prohibited from being used for food or seed storage;
- (4) application of CIPC requires special equipment that is expensive to acquire and maintain, a high and specific temperature to transform the liquid into a gas, and constant supervision of a skilled technician during the entire period of operation;
- (5) CIPC attacks plastic, leaves a black, difficult to remove, layer on the surface of the storage room and leaves active residues in the walls for a period of years.
- (6) CIPC has to be volatilized at high temperatures before introduction into storage chambers, thereby adversely affecting the temperature balance therein.

All the above mentioned disadvantages of CIPC are eliminated when the process of the present invention is used instead of CIPC treatment. This is because the decomposition products of the compounds used in the present invention are

harmless. For the most part, they consist of water and oxygen, with merely trace, practically undetectable quantities of other optional components, when used. In certain embodiments, it also provides for carbon dioxide-oxygen gas balance adjustment, thereby inhibiting "black-heart" deterioration of stored potatoes.

Finally, in certain countries the use of CIPC is either restricted or in the process of being restricted and even prohibited. The other materials mentioned above aside from those of the present invention, do not constitute attractive alternatives to the use of CIPC, because of similar or other deficiencies.

Hydrogen peroxide is a well known non-polluting oxidizing agent. A comprehensive article summarizing its production, uses and other features is presented in Kirk-Othmer, Encyclopedia of Chemical Technology-4th Edition, Vol. 13, pp. 961-995. The said article and its bibliography are included herein by reference. The known uses for hydrogen peroxide described in the Kirk-Othmer article include water treatment, disinfection and sterilization of contact surfaces of food packaging. The use of hydrogen peroxide for space decontamination, was also indicated as holding promise. The bibliography also cites various patents that involve stabilized hydrogen peroxide compositions. Such a composition containing silver salt or complex is described in WO 96/18301, while U.S. 4,915,955 concerns a stabilized silver salt compound or colloid for mixing with hydrogen peroxide to produce effective disinfectants. No mention is made in the article concerning the use of hydrogen peroxide or its compositions for treating foodstuffs or plant material.

The use of hydrogen peroxide in combination with silver ions for disinfection of water is also described in Shuval, H., et al, **Water Sci. Technol.**, (1995), 31(5-6, Health-Related Water Microbiology 1994), 123-9 and in Shuval, H., et al, **Water Supply**, (1995), 13(2 IWSA International Specialized Conference on Disinfection of Potable Water, 1994), 241-51.

While occasional and sporadic reports in technical and sales promotional literature and meetings have indicated that hydrogen peroxide treatment can be beneficial for foodstuff and plant matter conservation, a recent summary presented at a meeting of the European Association for Potato Research that took place on March 25-29, 1998, at Aberdeen, Scotland, indicated that such treatments are less effective than available alternatives. See, for example, Clayton, R.C., and Black, S., POTATO SEED STORE HYGIENE: CLEANING, DISINFECTION OR BOTH? Presentation at meeting of European Association for Potato Research, March 25-29, 1998, at Aberdeen, Scotland.

Among publications that one might note as indicating possible benefits from hydrogen peroxide treatment of foodstuffs and plant matter, one can cite the following:

Afek, A., et al, NEW APPROACHES FOR INHIBITION OF SPROUTING AND REDUCTION OF WEIGHT LOSS DURING POTATO STORAGE, Abstracts of Conference Papers, Posters and Demonstrations, 13th Triennial Conference of the European Association for Potato Research, July 14-19, Veldhoven Netherlands and Postharvest, Taupo, New Zealand, August, 1996. This publication describes an ultrasonic technique for treating potatoes in storage with a solution containing 25% ethanol and 0.3% of a commercial concentrate containing hydrogen peroxide and silver ion. While the efficiency of the treatment in sprout inhibition was reported to be comparable to the standard CIPC treatment, no indication was given of effectiveness of treatment with aqueous hydrogen peroxide without the ethanol.

A sales promotion brochure for a preparation with the name Virosil-Agro, claims that the preparation is effective in preventing post-harvest deterioration in a large variety of fruits and vegetables. The preparation itself is described as "a multicomponent complex formulation containing hydrogen peroxide and silver in cationic form." The forms of application do not include "Dry Fog".

In an article in Hebrew by Nir, A.. and Heller, D., in HaSadeh, Vol. 74, No. 12, pp. 1326-7, mixed results are reported for the disinfection of hatching eggs with a hydrogen peroxide preparation applied with an ultra-sonic fogger. No explanation is provided for the lack of consistency in results, although good results were reported for the more recent series of tests.

The mixed and inconclusive results observed so far for application of preparations containing hydrogen peroxide to foodstuffs and plants can probably be rationalized as follows:

Hydrogen peroxide is a strong oxidizing agent. It is also a strong disinfectant, effectively eliminating or at least reducing a wide variety of pathogens, including pathogens that cause decay. Being however at the same time a strong oxidizing agent, it can also cause damage surface tissues and protective peels and coatings of foodstuffs and plant matter, thereby making them more vulnerable to pathogen penetration. Consequently, reluctance so far to adopt environmentally friendly, hydrogen peroxide based processes and compositions for treating foodstuffs and plant matter to prevent qualitative and quantitative losses during storage and handling, can be attributed to a large extent to the absence of reliable processes and compositions for this purpose, that provide consistently effective results.

Consequently, it is an object of certain aspects of the present invention to provide a process and/or hydrogen peroxide containing compositions that allows plant matter and foodstuffs to be stored under conditions of high relative humidity and high relative temperature, while inhibiting detrimental processes that cause deterioration in quality that are frequently promoted by conditions of high relative humidity and temperature. Thus it is possible to gain the various benefits of high humidity and temperature storage without incurring detrimental consequences, frequently effected by storage of foodstuffs in a high humidity and high relative temperature ambience. The sprouting, rooting and "black-heart" formation of potatoes or similar tubers

during storage, can be cited as examples of detrimental processes that occurs during storage, particularly in a high humidity and high relative temperature ambience.

Its is also an object of certain aspects of the present invention to provide a treatment process and/or compositions that prevent sprouting, rooting and "black-heart" formation of potatoes, other tubers, bulbs, seeds, grains, onions and other food and plant propagation material, particularly under conditions of high humidity and relatively high temperature storage. The said process also allows for convenient adjustment of carbon dioxide-oxygen gas balance, thereby inhibiting "black-heart" deterioration in potatoes.

It is also an object of certain aspects of the present invention to provide a process and/or compositions that result in energy savings during storage and handling of foodstuffs and plant matter.

It is also an object of certain aspects of the process of the present invention to apply a treatment process and/or compositions on seeds and plant propagation material that reduce losses from harvest until sowing, inhibit sprouting, protect seeds without loss of water necessary for growth, allow seeds to be maintained in an aseptic condition, so that they do not transmit infections and diseases, from country to country, to neighboring seeds, to the harvests they will produce or the earth in which they are planted.

It is another object of certain aspects of the present invention to provide processes and/or compositions that effect and promote Epical Dominance Breakdown, thereby inhibiting premature undesirable sprouting, but ultimately promoting enhanced sprouting capability, and in addition promoting and enhancing part of or all the following benefits and advantages, in appropriate plant matter, e.g. in potatoes

- (1) More stems per tuber relative to an untreated control;
- (2) greener and richer foliage;

- (3) more uniform growth height;
- (4) more tubers per maternal tuber;
- (5) higher yields in kg/square meter;
- (6) greater uniformity in the size distribution of the harvest product, particularly in standard sizes for industry, for marketing and for seeds;
- (7) the pre-treatment in accordance with process and compositions of the invention preserves the maternal tuber from deteriorative processes that would ultimately contaminate the yields and
- (8) because the effects of the treatment on seeds is beneficial, total flexibility is provided to the storers of potatoes, to market his produce to industry or/and consumer markets and/or for seed, all in accordance with market conditions. This can be done immediately after treatment, without having to wait a month, as required after treatment with CIPC.

The treatment process and/or compositions provided by the invention are total substitutes to the treatment and compositions in use at present for seed matter before export and/or before actual sowing. Furthermore, it is friendly to man and the environment, simple and economical to implement. The most common material in use until recently and still in use in some countries for this purpose, is ethyl methyl mercury chloride. This material contains a high concentration of organic mercury and has therefore been prohibited for use in most of the countries of the world. This is because it is dangerous to the health of the user, and contains a toxic metal that contaminates the ground and aquifers.

The new treatment process and/or compositions of the present invention are more efficient. They possess additional beneficial and superior properties. They are friendly to the user and the environment, in comparison to other alternative seed treatments with various sorts of fungicides and fumigation with formaldehyde.

It is an additional object of certain aspects of the present invention to provide a process and/or compositions for preventing modes of qualitative and/or quantitative

losses of potatoes during storage, for example, by decay caused by infection with microorganisms, fungi, algae, yeasts, molds and viruses.

It is yet another purpose of certain aspects of the present invention to provide a storage process for storage of plant matter and foodstuffs that prevents qualitative and quantitative losses during storage, by undesirable microbiological or biochemical processes of the foodstuff itself, including when such processes are effected and/or promoted by high humidity and high temperature storage conditions.

It is also an object of certain aspects of the present invention to provide processes and compositions that can be used to reduce and eliminate harmful organisms and substances from earth, equipment, materials, spaces and surfaces

Moreover, it is an important object of certain aspects of the present invention to achieve the above purposes in a simple way, that is safe to use, non-toxic, odorless, without hazardous residues and/or side effects, compatible with the environment and that does not leave any undesirable chemical residues in the materials or water, earth, other growth media and substrates, or on equipment, materials, water, spaces and surfaces exposed to the treatment by the process and compositions of the present invention, or endanger the health of operators implementing the process or handling the compositions or the foodstuffs treated by them. The process and compositions of the present invention are cost effective.

SUMMARY OF THE INVENTION

In accordance with a preferred embodiment of the present invention, there is provided an environmentally compatible process for treating plant matter and foodstuffs, during storage, distribution and marketing, preplanting, growing, and pre

and/or post harvest, to increase yields, eliminate health hazards, impart storage stability, extend shelf life and inhibit premature sprouting, rooting, germination, blossoming, decay, "black-heart" formation, pathogenic losses and other processes causing losses in quality and/or quantity of said plant matter and foodstuffs, said plant matter and foodstuffs including tubers-such as potatoes, bulbs, seeds grains and other germinating matter or items, plant vegetative propagation matter or items, as well as various fruits and vegetables including solanaceous fruits and vegetables, by treating the said plant matter or foodstuffs, during storage and/or distribution and marketing, preplanting and/or during pre and/or post harvest with an effective aqueous dosage comprising an effective concentration of hydrogen peroxide and optionally comprising, an effective dosage of one or more additional components selected from the following types of substances:

- (i) effective trace concentrations of dispersed metals or metal ions;
- (ii) effective concentrations of other and/or additional hydrogen peroxide activators, synergists and promoters;
- (iii) effective concentrations of hydrogen peroxide stabilizers and modifiers;
- (iv) effective concentrations of pH regulators;
- (v) effective concentrations of organic and/or inorganic additives,

wherein the effective concentration of hydrogen peroxide, time of treatment and form of application are such as to prevent such plant matter and foodstuffs quality and/or quantity loss, but at the same time not so high as to cause or induce damage to the plant matter and foodstuffs themselves.

In accordance with another preferred embodiment of the present invention, there is provided a process for preventing premature sprouting and enhancing the productivity in plant growth material, e.g., potatoes, potato tubers, potato growth material or other plant growth material, by effecting Epical Dominance Breakdown in the said potatoes, potato tubers, potato growth material or other plant growth material, comprising treating the potatoes, potato tubers, potato growth material or other plant growth material with an effective aqueous dosage comprising an effective concentration of hydrogen peroxide and optionally comprising, one or more additional components selected from the following types of substances:

- (i) effective trace concentrations of dispersed metals or metal ions;
- (ii) effective concentrations of other and/or additional hydrogen peroxide activators, synergists and promoters;
- (iii) effective concentrations of hydrogen peroxide stabilizers and modifiers;
- (iv) effective concentrations of pH regulators;
- (v) effective concentrations of organic and/or inorganic additives.

In accordance with another preferred embodiment of the present invention, there is provided a composition for treating in an environmental friendly manner, plant matter and foodstuffs, during storage, distribution and marketing, preplanting, growing, and pre and/or post harvest, to increase yields, eliminate health hazards, impart storage stability, extend shelf life and inhibit premature sprouting, rooting, "black-heart" formation, germination, blossoming, decay, pathogenic losses and other processes causing losses in quality and/or quantity of said plant matter and foodstuffs, and promote epical dominance breakdown, said plant matter and foodstuffs including tubers-such as potatoes, bulbs, seeds grains and other

germinating matter or items, plant vegetative propagation matter or items, as well as various fruits and vegetables including solanaceous fruits and vegetables, said composition being also suitable to treat earth, other growth media and substrates, equipment, materials, water, spaces and surfaces to reduce and eliminate harmful organisms and substances therefrom, comprising

(a) 0.001% to 50% of hydrogen peroxide

(c) 0.001% to 5% of metal ion selected from the group consisting of copper, zinc, nickel, iron, manganese, molybdenum, potassium or combinations thereof

and optionally

(i) effective trace concentrations of other dispersed metals or metal ions;

(ii) effective concentrations of other and/or additional hydrogen peroxide activators, synergists and promoters;

(iii) effective concentrations of hydrogen peroxide stabilizers and modifiers;

(iv) effective concentrations of pH regulators;

(v) effective concentrations of organic and/or inorganic additives.

In accordance with yet another preferred embodiment of the present invention, there is provided a composition for treating in an environmental friendly manner, plant matter and foodstuffs, during storage, distribution and marketing, preplanting, growing, and pre and/or post harvest, to increase yields, eliminate health hazards, impart storage stability, extend shelf life and inhibit premature sprouting, rooting,

““black-heart”-heart” formation, germination, blossoming, decay, pathogenic losses and other processes causing losses in quality and/or quantity of said plant matter and foodstuffs, and promote epical dominance breakdown, said plant matter and foodstuffs including tubers-such as potatoes, bulbs, seeds grains and other germinating matter or items, plant vegetative propagation matter or items, as well as various fruits and vegetables including solanaceous fruits and vegetables, said composition being also suitable to treat earth, other growth media and substrates, equipment, materials, water, spaces and surfaces to reduce and eliminate harmful organisms and substances therefrom, comprising

(a) 0.001% to 50% of hydrogen peroxide

(b) 0.001% to 2.5% of silver ion

(c) 0.001% to 2.5% of metal ion selected from the group consisting of copper, zinc, nickel, iron, manganese, molybdenum, potassium or combinations thereof

and optionally

(i) effective trace concentrations of other dispersed metals or metal ions;

(ii) effective concentrations of other and/or additional hydrogen peroxide activators, synergists and promoters;

(iii) effective concentrations of hydrogen peroxide stabilizers and modifiers;

(iv) effective concentrations of pH regulators;

(v) effective concentrations of organic and/or inorganic additives.

In yet another embodiment of the invention, there is provided an environmentally compatible process for reducing and eliminating harmful organisms and substances from earth, equipment, materials, water, spaces and surfaces by treating the said earth, other growth media and substrates, equipment, materials, water, spaces and surfaces with an effective dosage of a composition comprising an effective concentration of hydrogen peroxide and optionally comprising, an effective dosage of one or more additional components selected from the following types of substances:

- (i) effective trace concentrations of dispersed metals or metal ions;
- (ii) effective concentrations of other and/or additional hydrogen peroxide activators, synergists and promoters;
- (iii) effective concentrations of hydrogen peroxide stabilizers and modifiers;
- (iv) effective concentrations of pH regulators;
- (v) effective concentrations of organic and/or inorganic additives,

DETAILED DESCRIPTION OF THE INVENTION

The preferred range of concentrations of hydrogen peroxide for use in intermittent treatment of foodstuff and plant matter in accordance with the process of the present invention is from 0.001% to 50%, preferably from 0.01% to 20% and more specifically from 0.1% to 15%. The preferred range of concentrations for continuous or short interval treatment is 10 PPM to 40%.

The range of concentrations of dispersed metal and/or metal ion for use in accordance with this invention is from 1 PPB to 5%, preferably from 10 PPB to 10,000 PPM, more specifically from 20 PPB to 2000 PPM and even more specifically from 20 PPB to 1000 PPM. The combination of hydrogen peroxide with appropriate metal ion(s) provides in certain instances a synergistic effect by which the hydrogen peroxide effect is enhanced. In addition, the minute trace residue quantities of the metal ion(s) have been found to have a slower but longer lasting beneficial effect on the prevention of quality and quantity deterioration of foodstuff and plant matter.

The treatment of the treated matter in accordance with this invention can be implemented satisfactorily in various ways. These include, in certain cases dipping the treated matter in the above mentioned solution(s) or spraying the solution(s) onto the treated foodstuff or plant matter. However it should be pointed out that water or condensed water droplets on the surface of foodstuff and plant matter can enhance the proliferation of pathogens and thus have a detrimental effect. This is of particular concern when it is important to maintain storage conditions of high relative humidity, such as in the storage of potatoes, to prevent material loss due to evaporation and other forms of deterioration induced by a low humidity environment.

Intermittent treatment by means of the process and compositions of the present invention, protects foodstuff and plant matter so treated from adverse effects of condensation of water on the surfaces of the foodstuffs and plant matter, so treated.

The application of the solution in the form of ultra small drops by solution atomizing systems that produce "dry" fogs with particle sizes of less than and up to 10 microns in diameter, has been found to provide particularly beneficial results. These include compensation for or prevention of water loss, inhibition of sprouting, rot inhibition, less overall losses and higher yields for treated seeds. The beneficial results include epical dominance breakdown. The advantages of small particle size "dry" fogs is attributed to the fact that very small particles behave to a large extent like a gas. They facilitate the achievement of very high relative humidity, i.e., even as high as 99%+, without any condensation on the stored matter. Furthermore, the small particles show a very high penetrability into small cracks and spaces. As a consequence, even when potatoes are stored in ordinary stacks or storage sacks, the "dry" fog storage has a high degree of penetrability and accessibility to all points in the stack or sack. This means that even in the simplest and most space compact facilities, stored plant matter, such as potatoes and similar items, can be effectively treated to prevent weight loss due to dehydration as well as softening and other deteriorative processes brought about by an inadequate humidity environment.

Another benefit of the "dry" fog is that it allows higher concentrations of hydrogen peroxide and other active ingredients to be used without causing damage to the protective peel or surface of the plant matter so treated. The higher concentration of treating solutions enhances their effectiveness in the rapid elimination of pathogens. When the foodstuff and plant matter is treated by dipping or ordinary spraying, the optimal hydrogen peroxide concentration should be substantially between 0.5%-1.5% and treating time between a few seconds up to a few minutes. When the treatment is applied as a "dry" fog, the hydrogen peroxide concentration may be up to 40% and the time of application from several hours to a number of days.

A further benefit of application by fog is that it allows for convenient adjustment of the carbon dioxide-oxygen balance in the storage room or chamber, thus inhibiting "black heart" deterioration. Preferably, the air to liquid volume ratio in the fog should be between 300:1 and 1200:1, more preferably between 500:1 and 700:1.

In certain aspects and applications, the beneficial effects of the process of the present invention are enhanced by the addition of certain additives to the treatment solution, these additives may include:

Stabilizers and modifiers, such as but not limited to, citric acid, tartaric acid, boric acid, bromic acid, stannates, phosphonic acids etc.

pH Regulators, primarily mineral and organic acids, such as but not limited to phosphoric acid, peracetic acid, hydrochloric acid, sulfuric acid, etc. For optimum effectiveness, the pH should be lower than 6 and preferably between 1-4.

Trace element activators, synergists and promoters, such as but not limited to, dispersions of metal, non-metals or ions (of various valences when appropriate) such as, copper, zinc, nickel, iron, potassium, manganese, silver, chromium, molybdenum, magnesium, boron, phosphorus, iodine, sulfur, citrate, etc.

Organic or inorganic additives, such as but not limited to, peracetic acid, phenol, gelatin, glycerin, sodium azide, polymoxin B, sodium bicarbonate, pectin, salicylic acid, etc.

EXAMPLES

Example 1

In several experiments conducted in a storage room containing hundreds of metric tons of potatoes, a hydrogen peroxide-metal ion solution was introduced with a fogger overnight until a relative humidity level of 80-99% was attained. The potatoes were kept in the storage room for 5 months, during which time fogging treatment was effected 10-50% of the time. The result of the spraying was that losses due to disease were reduced from 8% to 2%, while losses due to dehydration were reduced from 5% to 2%. Therefore the total loss reduction was from 13% to 4.5%, a net average reclamation of 8.5%.

Example 2

The effect of treatment with various solutions of aqueous hydrogen peroxide plus additives at the following concentrations: 0% (control) and 0.1%-30%, by dipping for various lengths of time. Clear-cut sprout inhibition was obtained for bulbs so treated, compared to the control, as well as decay prevention for extended time.

In certain concentrations, an opposite result was obtained, of rot and severe phytotoxic damage to the tubers.

Each of the treatments were repeated five times. Each time involved 50 kilograms of potatoes.

Example 3

Same as Example 2, except that instead of dipping, the solutions were sprayed onto the foodstuff substrate until dripping (high volume).

Example 4

Same as Example 3, except that the spraying onto the foodstuff substrate was low volume.

Example 5

Same as Example 3, except that the spraying onto the foodstuff substrate was ultra low volume.

Example 6

Same as Example 3, except that the spraying onto the foodstuff substrate was by fogging. The gas liquid volume ratio was 600:1.

Examples 7-11

Each of the treatments described in examples 2-6 above were carried out on potato seeds.

Examples 12-16

Each of the treatments described in examples 2-6 above were carried out on wheat seeds, corn (maize), various grains and solanaceous plants. The concentrations of the hydrogen peroxide solutions were varied between 0.1-60%. The species so treated were examined after periods of 7-10 days. In all cases, no sprouting, blossoming and germination were observed.

The same species were examined after varying periods of several weeks to several months. Inhibition of decay was observed.

In certain concentrations, an opposite result was obtained, of rot and severe phytotoxic damage to the tubers.

Example 17

750 tons of potatoes of the Desiree variety were stored in each of three cold rooms for six months at 10°C. At an average relative humidity of 97% provided as 3-7 micron droplets, weight loss after this time was only 2.8%. With a regular humidifier and average relative humidity of 92%, the weight loss was 6%. The weight loss in the control. average humidity 85% was 11%.

In addition, the quality of potatoes stored without providing humidity was low because of softening. The firmness of the different batches of potatoes described above were as follows: 64 newtons for 97% relative humidity; 58 newtons for 92% relative humidity and 48 newtons for 85% relative humidity. Potato firmness before storage was 70 newtons.

Example 18

Experiments were conducted to test the effectiveness of treating potato seeds to prevent sprouting, with a "dry" fog comprising, hydrogen peroxide, silver ion and phosphoric acid. After preliminary treatment with the active solution, the storage conditions were maintained at 90% relative humidity and 10°C. The results were as follows:

<u>Concentration (PPM)</u>		<u>Sprouting (%)</u>		
H ₂ O ₂	Ag ion	one month	two months	three months
0	0	15	27	35
500	1	4	23	31
1,250	2.5	0	3	6
5,000	10	0	2	5

By repeating the above dosage on a monthly basis, it was possible to totally eliminate sprouting for extended periods. However at levels above 25% H₂O₂, damage was caused to the peel that developed rapidly to rot.

Example 19

Experiments were conducted to test the effectiveness of treating potato seeds to prevent sprouting, with a "dry" fog containing hydrogen peroxide and silver ion. After preliminary treatment with the active solution, the storage conditions were maintained at 90% relative humidity and 10°C. The results were as follows:

<u>Concentration (PPM)</u>			<u>Sprouting (%)</u>		
H ₂ O ₂	Ag ion	Cu ion	one month	two months	three months
0	0	0	15	27	35
500	0	0	8	22	32
500	1	0	4	23	31
500	0	1	6	17	27
500	0.1	0.9	2	13	18

By repeating the above dosage on a monthly basis, it was possible to totally eliminate sprouting for extended periods. However at levels above 25% H₂O₂, damage was caused to the peel that developed rapidly to rot.

Example 20

Experiments were conducted to test the effect on yield enhancement of treating potato seeds with solutions containing hydrogen peroxide and silver ion. The potato seeds were initially harvested in late June and put into cold storage at 9-10°C and 96-99+% RH, initially untreated. Approximately one month later, each batch of various potato seed varieties was treated with a dose of a solution containing hydrogen peroxide and silver ion, the ratio of the active ingredients to the potato seeds being 2-5% H₂O₂ and 40-100 PPM Ag ion on a wt/wt basis. Each batch was treated three more times. The second treatment took place about three and one half weeks after the first treatment and was at the same dosage level. The third treatment was almost four weeks after the second treatment, but the dosage level was reduced

by half. The fourth treatment was about three weeks later also at the half dosage level.

The average potato yields in kilogram/square-meter for various potato seed varieties, were as follows:

	<u>Treated Potatoes</u>	<u>Untreated Potatoes</u>
After 84 days	2.28 kg/m ²	1.65 kg/m ²
“ 94 “	2.56 “	2.04 “

In addition to the higher yields in weight per unit area, the potatoes that were produced from treated potato seeds had a more uniform size distribution as well as a higher yield of marketable sizes relative to those of the untreated control. In addition, the maternal tubers remained robust and did not deteriorate so that the crop was not contaminated. The problem of maternal tuber deterioration and crop contamination is a basic problem of untreated potato seeds.

General Examples

The following is a number of additional examples of applications of the present new invention in various areas requiring humid and aseptic conditions:

- (1) Treatment of hot-house plants and growth products;
- (2) Treatment related to growing and marketing of mushrooms and buds;
- (3) Treatment in meat storage;
- (4) Treatment of eggs for eating or incubation for increasing moisture and preventing infection;
- (5) Treatment of incubation spaces, incubation cells and hatching cells.
- (6) Treatment of space and equipment in surgical operation rooms;
- (7) Treatment of space and equipment in crowded halls and enclosed areas, such as, subway stations, buses, airplanes, ships and the like;
- (8) Various treatments of sown earth to prevent ground pollution, instead of methyl bromide whose use is being prohibited.
- (9) Storage spaces, greenhouses, hen houses, etc.

While certain embodiments of the invention have been hereinbefore particularly described, it will be apparent to anyone skilled in the art that many modifications and variations may be made, that do not deviate from the main features or spirit of the invention. The invention is accordingly not to be construed as restricted to such embodiments, but rather to its concept, spirit and general scope.

CLAIMS:

1. An environmentally compatible process for treating plant matter and foodstuffs, during storage, distribution and marketing, preplanting, growing, and pre and post harvest, to increase yields, eliminate health hazards, impart storage stability, extend shelf life and inhibit premature sprouting, rooting, "black-heart" formation, germination, blossoming, decay, pathogenic losses and other processes causing losses in quality and/or quantity of said plant matter and foodstuffs, said plant matter and foodstuffs including tubers-such as potatoes, bulbs, seeds grains and other germinating matter or items, plant vegetative propagation matter or items, as well as various fruits and vegetables including solanaceous fruits and vegetables, by treating the said plant matter or foodstuffs, plant matter and foodstuffs, during storage, distribution and marketing, preplanting, growing, and pre and post harvest, with an effective aqueous dosage comprising an effective concentration of hydrogen peroxide and optionally comprising, an effective dosage of one or more additional components selected from the following types of substances:

- (i) effective trace concentrations of dispersed metals or metal ions;
- (ii) effective concentrations of other and/or additional hydrogen peroxide activators, synergists and promoters;
- (iii) effective concentrations of hydrogen peroxide stabilizers and modifiers;
- (iv) effective concentrations of pH regulators;
- (v) effective concentrations of organic and/or inorganic additives,

wherein the effective concentration of hydrogen peroxide, time of treatment and form of application are such as to prevent such plant matter and foodstuffs quality and/or quantity loss, but at the same time not so high as to cause or induce damage to the plant matter and foodstuffs themselves.

2. A process as in claim 1, wherein the hydrogen peroxide concentrations is in the range from 0.001% to 50%.
3. A process as in claim 1, wherein the hydrogen peroxide treatment is intermittent with intervals of several weeks and its concentration is in the range from 0.01% to 20%.
4. A process as in claim 1, wherein the hydrogen peroxide treatment is intermittent with intervals of several weeks and its concentration is in the range from 0.1% to 15%.
5. A process as in claim 1, wherein between the intermittent hydrogen peroxide treatments, there is an addition, continuous or short interval supplementary treatments with solutions with hydrogen peroxide concentration in the range from 0.001% to 50%.
6. A process as in any of claims 1-5, wherein the metals or metal ions concentration is in the range from 1 PPB to 50,000 PPM.
7. A process as in any of claims 1-5, wherein the metals or metal ions concentration is in the range from 10 PPB to 20,000 PPM.
8. A process as in any of claims 1-5, wherein the metals or metal ions concentrations is in the range from 50 PPB to 1,000 PPM.

9. A process as in any of claims 6-8, wherein the metal ion is silver ion.
10. A process as in any of claims 6-8 wherein the metal ion is copper ion.
11. A process as in any of claims 6-8, wherein the metals ions are a mixture of silver and copper ion.
12. A process as in any of claims 1-11 in which the treatment solution contains in addition to hydrogen peroxide, one or more substances selected from such as but not limited to, dispersions of metals, non-metals, or ions (of various valences when appropriate) such as, copper, zinc, nickel, iron, potassium, manganese, silver, chromium molybdenum, magnesium, boron, phosphorus, iodine, sulfur, citrate, etc., or combinations thereof.
13. A process as in any of claims 1-11 in which the treatment solution contains in addition to hydrogen peroxide and dispersed metals or metal ions, one or more hydrogen peroxide or trace activator stabilizers or modifiers, such as but not limited to citric acid, tartaric acid, boric acid or bromic acid.
14. A process as in any of claims 1-11 in which the treatment solution contains in addition to hydrogen peroxide and dispersed metal or metal ions, one or more pH regulators selected from mineral acids and/or organic acids, said mineral acids including phosphoric acid, nitric acid, hydrochloric acid and sulfuric acid and said organic acids including peracetic acid.
15. A process as in any of claims 1-11 in which the treatment solution contains in addition to hydrogen peroxide and dispersed metal or metal ions, one or more organic or inorganic additives selected from peracetic acid, phenol, gelatin, glycerin, sodium azide, polymoxin B, sodium bicarbonate, pectin, salicylic acid, etc.

16. A process as in any of claims 1-15, wherein the foodstuffs and plant matter are treated by dipping them in the said solution.
17. A process as in claim 16, wherein the hydrogen peroxide concentration of the said solution is between 0.01-20%.
18. A process as in claim 16, wherein the hydrogen peroxide concentration of the said solution is between 0.01-10%.
19. A process as in claim 16, wherein the hydrogen peroxide concentration of the said solution is between 0.01-5%.
20. A process as in claim 16, wherein the hydrogen peroxide concentration of the said solution is between 0.01-1.5%.
21. A process as in claim 16, wherein the hydrogen peroxide concentration of the said solution is between 0.01-0.5%.
22. A process as in any of claims 1-15, wherein the foodstuffs are treated by spraying of the said solution on them.
23. A process as in claim 22, wherein the hydrogen peroxide concentration of the said solution is between 0.01-20%.
24. A process as in claim 22, wherein the hydrogen peroxide concentration of the said solution is between 0.01-10%.
25. A process as in claim 22, wherein the hydrogen peroxide concentration of the said solution is between 0.01-5%.

26. A process as in claim 22, wherein the hydrogen peroxide concentration of the said solution is between 0.01-1.5%.
27. A process as in claim 22, wherein the hydrogen peroxide concentration of the said solution is between 0.01-0.5%.
28. A process as in any of claims 1-15 wherein the foodstuffs are treated by spraying of the said solution on them with a fogger-sprayer that produces microdroplets.
29. A process as in claim 28, wherein the hydrogen peroxide concentration of the said solution is between 0.01-40%.
30. A process as in claim 28, wherein the hydrogen peroxide concentration of the said solution is between 0.01-20%.
31. A process as in claim 28, wherein the hydrogen peroxide concentration of the said solution is between 0.01-15%.
32. A process as in any of claims 28-31 wherein said microdroplets are in the size range of up to 1000 microns in diameter.
33. A process as in any of claims 28-31 wherein said microdroplets are in the size range of up to 500 microns in diameter.
34. A process as in any of claims 28-31 wherein said microdroplets are in the size range of up to 100 microns in diameter.
35. A process as in any of claims 28-31 wherein said microdroplets are in the size range of up to 50 microns in diameter.

36. A process as in any of claims 28-31 wherein said microdroplets are in the size range of up to 40 microns in diameter.
37. A process as in any of claims 28-31 wherein said microdroplets are in the size range of up to 30 microns in diameter.
38. A process as in any of claims 28-31 where said microdroplets are in the size range of up to 20 microns in diameter.
39. A process as in any of claims 28-31 wherein said microdroplets are in the size range of up to 10 microns in diameter.
40. A process as in any of claims 28-31 wherein said microdroplets are in the size range of 1-10 microns in diameter (dry fog).
41. A process as in any of claims 28-31 wherein said microdroplets are in the size range of 0.01-1 micron in diameter (fumes).
42. A process as in any of claims 28-31 wherein said microdroplets are in the size range of 0.001-0.01 micron in diameter (smoke).
43. Plant-matter and foodstuffs when treated substantially as hereinbefore described in any of claims 1-42.
44. A process for inhibiting premature sprouting and enhancing the productivity in plant growth material, e.g., potatoes, potato tubers, potato growth material or other plant growth material, by effecting Epical Dominance Breakdown in said potatoes, potato tubers, potato growth material or other plant growth material, comprising treating the potatoes, potato tubers, potato growth material or other plant growth material with an effective aqueous dosage comprising an effective

concentration of hydrogen peroxide and optionally comprising, one or more additional components selected from the following types of substances:

- (i) effective trace concentrations of dispersed metals or metal ions;
- (ii) effective concentrations of other and/or additional hydrogen peroxide activators, synergists and promoters;
- (iii) effective concentrations of hydrogen peroxide stabilizers and modifiers;
- (iv) effective concentrations of pH regulators;
- (v) effective concentrations of organic and/or inorganic additives.

45. A process for effecting Epical Dominance Breakdown in plant growth material, e.g., potatoes, potato tubers, potato growth material or other plant growth material, comprising treating the potatoes, potato tubers, potato growth material or other plant growth material in accordance with any of claims 1-42.

46. Potatoes, potato tubers and potato and other plant growth material, treated to bring about Epical Dominance Breakdown in accordance with any of claims 1-42.

47. A composition for treating in an environmental friendly manner, plant matter and foodstuffs, during storage, distribution and marketing, preplanting, growing, and pre and/or post harvest, to increase yields, eliminate health hazards, impart storage stability, extend shelf life and inhibit premature sprouting, rooting, "black-heart" formation, germination, blossoming, decay, pathogenic losses and other processes causing losses in quality and/or quantity of said plant matter and foodstuffs, and promote epical dominance breakdown, said plant matter and foodstuffs including tubers-such as potatoes, bulbs, seeds grains and other

germinating matter or items, plant vegetative propagation matter or items, as well as various fruits and vegetables including solanaceous fruits and vegetables, said composition being also suitable to treat earth, other growth media and substrates, equipment, materials, water, spaces and surfaces to reduce and eliminate harmful organisms and substances therefrom, comprising

(a) 0.001% to 50% of hydrogen peroxide

(c) 0.001% to 5% of metal ion selected from the group consisting of copper, zinc, nickel, iron, manganese, molybdenum, potassium or combinations thereof

and optionally

(i) effective trace concentrations of other dispersed metals or metal ions;

(ii) effective concentrations of other and/or additional hydrogen peroxide activators, synergists and promoters;

(iii) effective concentrations of hydrogen peroxide stabilizers and modifiers;

(iv) effective concentrations of pH regulators;

(v) effective concentrations of organic and/or inorganic additives.

48. A composition for treating in an environmental friendly manner, plant matter and foodstuffs, during storage, distribution and marketing, preplanting, growing, and pre and/or post harvest, to increase yields, eliminate health hazards, impart storage stability, extend shelf life and inhibit premature sprouting, rooting, "black-heart" formation, germination, blossoming, decay, pathogenic losses and other processes causing losses in quality and/or quantity of said plant matter and

foodstuffs, and promote epical dominance breakdown, said plant matter and foodstuffs including tubers-such as potatoes, bulbs, seeds grains and other germinating matter or items, plant vegetative propagation matter or items, as well as various fruits and vegetables including solanaceous fruits and vegetables, said composition being also suitable to treat earth, other growth media and substrates, equipment, materials, water, spaces and surfaces to reduce and eliminate harmful organisms and substances therefrom, comprising

- (a) 0.001% to 50% of hydrogen peroxide
- (b) 0.001% to 2.5% of silver ion
- (c) 0.001% to 2.5% of metal ion selected from the group consisting of copper, zinc, nickel, iron, manganese, molybdenum, potassium or combinations thereof

and optionally

- (i) effective trace concentrations of other dispersed metals or metal ions;
- (ii) effective concentrations of other and/or additional hydrogen peroxide activators, synergists and promoters;
- (iii) effective concentrations of hydrogen peroxide stabilizers and modifiers;
- (iv) effective concentrations of pH regulators;
- (v) effective concentrations of organic and/or inorganic additives.

49. An environmentally compatible process for reducing and eliminating harmful organisms and substances from earth, equipment, materials, water, spaces and surfaces by treating the said earth, other growth media and substrates, equipment, materials, water, spaces and surfaces with an effective dosage of a composition comprising an effective concentration of hydrogen peroxide and optionally comprising, an effective dosage of one or more additional components selected from the following types of substances:

- (i) effective trace concentrations of dispersed metals or metal ions;
- (ii) effective concentrations of other and/or additional hydrogen peroxide activators, synergists and promoters;
- (iii) effective concentrations of hydrogen peroxide stabilizers and modifiers;
- (iv) effective concentrations of pH regulators;
- (v) effective concentrations of organic and/or inorganic additives.

50. Process as in claim 22 wherein the air to liquid volume ratio in the fog is between 300:1 and 1200:1.

51. Process as in claim 22 wherein the air to liquid volume ratio in the fog is between 500:1 and 700:1.

52. Process as in claim 28 wherein the air to liquid volume ratio in the fog is between 300:1 and 1200:1.

53. Process as in claim 28 wherein the air to liquid volume ratio in the fog is between 500:1 and 700:1.

INTERNATIONAL SEARCH REPORT

International Application No

PL 1/IL 99/00403

A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 A23B7/157 A23B9/30 A61L2/18 A01N59/00

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 A23B

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 5 535 667 A (DALMASSO ET AL.) 16 July 1996 (1996-07-16) claims; examples ---	1,2, 28-43
X A	US 5 658 595 A (VAN OS) 19 August 1997 (1997-08-19) column 3, line 45 -column 4, line 8; claims ---	1,2, 22-27,43 15
X	US 4 915 955 A (GÖMÖRI) 10 April 1990 (1990-04-10) column 2, line 16 -column 3, line 14 column 3, line 54 -column 4, line 22; example 1 --- -/--	1,2,6-9, 13-15, 22-27, 43,47,49

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents :

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search

19 November 1999

Date of mailing of the international search report

29/11/1999

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Lepretre, F

INTERNATIONAL SEARCH REPORT

International Application No

PCI/IL 99/00403

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 5 085 880 A (DEVIC) 4 February 1992 (1992-02-04) column 3, line 15 - line 68 ---	1,2, 12-14, 22-27,43
X	FR 2 728 143 A (SODIFRA) 21 June 1996 (1996-06-21) page 6, line 21 -page 15, line 26; examples ---	1,2,6-9, 12-31, 43,45, 47,49
X	US 3 506 458 A (MARTIN) 14 April 1970 (1970-04-14) column 2, line 40 - line 52; claims; examples -----	1-5, 22-31, 43-46,49

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/IL 99/00403

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 5535667 A	16-07-1996	US 5460845 A	24-10-1995
		AU 672815 B	17-10-1996
		AU 4803093 A	15-03-1994
		BR 9306903 A	08-12-1998
		CA 2142344 A	03-03-1994
		DE 69314962 D	04-12-1997
		DE 69314962 T	05-03-1998
		DK 658083 T	22-12-1997
		EP 0658083 A	21-06-1995
		ES 2108293 T	16-12-1997
		GR 3025122 T	30-01-1998
		WO 9404036 A	03-03-1995
US 5658595 A	19-08-1997	NL 9201178 A	01-02-1994
		NO 177481 B	19-06-1995
		AT 156669 T	15-08-1997
		AU 666335 B	08-02-1996
		AU 2646092 A	05-04-1993
		BR 9206477 A	31-10-1995
		CA 2118696 A	18-03-1993
		DE 69221628 D	18-09-1997
		DE 69221628 T	19-03-1998
		DK 603329 T	01-09-1997
		EP 0603329 A	29-06-1994
		ES 2106884 T	16-11-1997
		JP 7506239 T	13-07-1995
		WO 9304595 A	18-03-1993
		AU 2593792 A	05-04-1993
		WO 9304705 A	18-03-1993
US 4915955 A	10-04-1990	CH 673225 A	28-02-1990
		AT 389802 B	12-02-1990
		AT 176487 A	15-07-1989
		AU 590379 B	02-11-1989
		AU 6785487 A	29-10-1987
		BE 1000083 A	02-02-1988
		BR 8701885 A	02-02-1988
		CA 1288334 A	03-09-1991
		CZ 8702804 A	12-02-1997
		CZ 9602925 A	15-04-1998
		DE 3620609 A	05-11-1987
		DE 3645266 C	04-05-1995
		DK 204587 A	23-10-1987
		ES 2004931 A	16-02-1989
		FR 2597347 A	23-10-1987
		GB 2189394 A, B	28-10-1987
		GR 870601 A	17-08-1987
		IN 168298 A	09-03-1991
		IT 1216911 B	14-03-1990
		JP 2089259 C	02-09-1996
		JP 8002769 B	17-01-1996
		JP 62255401 A	07-11-1987
		JP 2604569 B	30-04-1997
		JP 8225418 A	03-09-1996
		MX 169758 B	23-07-1993
		NL 8700749 A, B,	16-11-1987
		NZ 220008 A	27-03-1990
		PH 22798 A	12-12-1988

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/IL 99/00403

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 4915955	A	SE 468968 B	26-04-1993
		SE 8701500 A	23-10-1987
		SK 280487 A	08-07-1998
US 5085880	A	04-02-1992	
		FR 2651965 A	22-03-1991
		CA 2023809 A,C	22-03-1991
		DE 69001975 T	13-01-1994
		DK 419385 T	16-08-1993
		EP 0419385 A	27-03-1991
		JP 1764149 C	28-05-1993
		JP 3133358 A	06-06-1991
		JP 4051147 B	18-08-1992
		NO 175664 B	08-08-1994
FR 2728143	A	21-06-1996	
		AT 183053 T	15-08-1999
		AU 687296 B	19-02-1998
		AU 4450396 A	03-07-1996
		CA 2207890 A	20-06-1996
		CN 1173113 A	11-02-1998
		DE 69511432 D	16-09-1999
		EP 0797387 A	01-10-1997
		WO 9618301 A	20-06-1996
		JP 11500708 T	19-01-1999
		NZ 298824 A	28-10-1998
US 3506458	A	14-04-1970	NONE